

Click on the page number to go to subject item. Click Ctrl-Home to return to this TOC.

3RD PARTY MESSAGE TO A STATE 3RD PARTY MESSAGE TO A SHIP.....1  
 RECIPIENT'S ADDRESS UNKNOWN.....1  
 ADMIN (MULTIPLE ADDEE MESSAGE).....2  
 SUBJ: CHNAVMARCORMARS BCST 10-04.....2  
 A. NAVAL MESSAGE TO BE RELAYED BY THE WL2K:.....2  
 B. SHARES MESSAGE TO BE RELAYED BY THE WL2K:.....2  
 D901. EEI MESSAGE FORMAT .....3  
 E-MAIL SUBMISSION OF EEI MESSAGES .....5  
 612. MESSAGE READDRESSAL.....5  
 622. DELAYED MESSAGES .....6  
 623. LOST MESSAGES.....7  
 624. UNDELIVERABLE MESSAGES.....8  
 652. AMATEUR RADIO TO MARS REFILE .....8  
 653. MARS TO AMATEUR RADIO REFILE .....9  
 BROADCASTS .....9  
 AREA and STATE DESIGNATORS (12 May 05).....11

**3RD PARTY MESSAGE TO A STATE**

DE NNNØQOX 001  
 R 042300Z SEP 97  
 FM MS JO DOE TABB CA/NNNØQOX SCA  
 TO EM3 JOHN DOE  
 123 NORTH ST  
 DALLAS TX 75200  
 214-456-1234 JOHN DOE AT AOL.COM  
 BT  
 UNCLAS  
 (MESSAGE TEXT - UP TO 50 WORDS)  
 BT  
 NNNN  
 \*E-mail address optional

**3RD PARTY MESSAGE TO A SHIP**

DE NNNØZLS 002  
 R 042301Z SEP 97  
 FM MS JO DOE TABB CA/NNNØQOX SCA  
 TO EM3 JOHN DOE AA/USS AVENGER AA  
 E-2 DIV  
 BT  
 UNCLAS  
 (MESSAGE TEXT - UP TO 50 WORDS)  
 BT  
 NNNN

**RECIPIENT'S ADDRESS UNKNOWN**

DE NNNØQOX 001  
 R 042302Z SEP 97  
 FM MRS JOHN DOE GLENDALE CA/NNNØQOX SCA  
 TO NNNØNIG AL  
 BT  
 UNCLAS  
 PASS TO ORIGINATOR YOUR 021234Z SEP 97 SGT JOHN SMITH  
 BT  
 NNNN

**ADMIN (MULTIPLE ADDEE MESSAGE)**

DE NNNØFUL 001  
R 042302Z SEP 97  
FM NNNØGAC AZ  
TO NNNØASZ GA  
NNNØTQH AZ  
INFO NNNØASE (ST)  
NNNØASE ONE (ST)  
NNNØASA VA  
BT  
UNCLAS  
(MESSAGE TEXT - UP TO 100 LINES)  
BT  
NNNN

**SUBJ: CHNAVMARCORMARS BCST 10-04**

A. CHNAVMARCORMARS WASHINGTON DC 121600Z NOV 98 (CMB 20-98)  
B. NTP 8(D), ART. 830, SAMPLE MESSAGE 3.  
1. THIS BROADCAST ESTABLISHES REVISED PROCEDURES FOR RELAY OF OFFICIAL MESSAGES WITHIN THE NAVMARCORMARS MARS Winlink 2000 SYSTEM (WL2K). REF A IS CANCELED ON RECEIPT OF THIS BROADCAST. THIS REVISION IS ISSUED BECAUSE SHARES WILL SOON PROMULGATE A NEW DIGITAL MESSAGE FORMAT WHICH COMPLIES WITH ALLIED COMMUNICATIONS PROCEDURES (ACPS).  
2. OFFICIAL MESSAGES INPUT INTO NAVMARCORMARS FOR RELAY TO MILITARY COMMANDS WILL BE SENT AS SHOWN IN REF B EXCEPT THAT ONLY AREA OR STATE DIRECTOR'S ROUTING INDICATOR (NOT INDIVIDUAL STATION ROUTING INDICATORS) MAY BE USED. THIS METHOD IS ALSO AUTHORIZED TO RELAY THE NEW SHARES DIGITAL MESSAGE FORM. THE FOLLOWING EXAMPLES ARE PROVIDED FOR CLARIFICATION:

A. NAVAL MESSAGE TO BE RELAYED BY THE WL2K:

R 081200Z SEP 98 ZYB  
FM COMNAVCOMTELCOM WASHINGTON DC//N00//  
TO NAVCOMTELSTA SAN DIEGO CA//N00//  
INFO NAVCOMTELSTA PENSACOLA FL//N00//  
BT  
UNCLAS //N05000//  
ETC.

ADD 'DE' LINE AND MAILBOX INDICATORS INDICATING DELIVERY RESPONSIBILITY AND ENTER INTO THE WL2K:

DE NNN0ASA 123  
R 081200Z SEP 98 ZYB  
FM COMNAVCOMTELCOM WASHINGTON DC//N00//  
TO NNN3CG/NAVCOMTELSTA SAN DIEGO CA//N00//  
INFO NNN4AL/NAVCOMTELSTA PENSACOLA FL//N00//  
BT  
UNCLAS //N05000//  
ETC.

B. SHARES MESSAGE TO BE RELAYED BY THE WL2K:

R 131628Z MAR 04 ZYJ  
FM JOE BANK FAA TOWN VA 757-887-4494  
TO JOHN DOE FBI SHAWNEE KS 800-800-8354  
INFO JANE DOE FBI OKLAHOMA CITY OK 800-800-7900

BT  
MESSAGE TEXT  
ETC.

ADD 'DE' LINE AND MAILBOX INDICATORS INDICATING DELIVER  
RESPONSIBILITY AND ENTER INTO THE WL2K AS 'ST MULTI':

DE NNN0ASA 124  
R 131628Z MAR 04 ZYJ  
FM JOE BANK FAA TOWN VA 757-887-4494  
TO NNN7BD/JOHN DOE FBI SHAWNEE KS 800-800-8354  
INFO NNN6BO/JANE DOE FBI OKLAHOMA CITY OK 800-800-7900  
BT  
MESSAGE TEXT  
ETC.

NOTE 1: 'ZYJ' IS A SPECIAL 'Z' SIGNAL MEANING 'THIS IS A SHARES  
MESSAGE'

NOTE 2: ALL STATE DIRECTOR CALL SIGNS ARE LISTED IN ARTICLE K310  
OF NTP 8(D). THE MAILBOX INDICATOR IS MADE BY PLACING THE LETTERS  
NNN AND THE REGION NUMBER IN FRONT OF THE LAST TWO LETTERS OF THE STATE  
OR AREA DIRECTOR'S CALL SIGN.

3. THE MESSAGE MAY THEN BE PROCESSED FOR INSERTION IN THE WL2K AND ROUTED TO  
THE STATE(S) WHERE THE ADDRESSEE(S) ARE LOCATED. ONCE THE MESSAGE HAS ARRIVED  
WITHIN THE STATE, IT CAN BE HANDLED ON A STATE TRAFFIC NET AND SENT TO A  
STATION FOR DELIVERY TO THE MILITARY COMMAND(S) OR SHARES ENTITY. THE MAILBOX  
INDICATORS PRECEDING THE ADDRESSEE'S PLAIN LANGUAGE ADDRESS DESIGNATOR NEED  
NOT BE REMOVED FOR DELIVERY. TRAFFIC SHOULD ONLY BE SENT TO THE AREA DIRECTOR  
IF THEY ARE COLLOCATED WITH THE COMMAND ADDRESSED. IF IN DOUBT, SEND THE  
MESSAGE TO THE STATE FOR DELIVERY.

4. NAVMARCORMARS: PROUDLY SERVING THOSE WHO SERVE.

BT  
NNNN  
/EX

#### ***D901. EEI MESSAGE FORMAT***

The following format is out of date since the reorganization. Go to the [EEI  
FORMS](#) on the navymars.org web site for the updated forms.

EEI messages are sent using a pro-forma message format. All paragraphs and  
subparagraphs must be included in the message. If the information is not  
available see the note after the message format description. The message  
format and a sample message are provided below:

DE (STATION CALL SIGN) (SERIAL NUMBER)  
O (DATE-TIME-GROUP)  
FM (ORIGINATING STATION) (ST)  
TO NNN0DOM VA  
INFO NNN0ASA VA  
(YOUR REGION DIRECTOR) (ST)  
NNN0ASZ GA  
(YOUR REGION ECOM ASSISTANT) (ST)  
(YOUR AREA COORDINATOR) (ST)  
(YOUR AREA ECOM ASSISTANT) (ST)  
BT  
UNCLAS ACTUAL INCIDENT  
(USE 'MARS EXERCISE' IN PLACE OF 'ACTUAL INCIDENT' FOR EXERCISES)  
SUBJ: EEI REPORT

(FOR UPDATES, CHANGE LINE TO READ: 'SUBJ: EEI REPORT UPDATE NR 1' AND INCREASE THE NUMBER AS APPROPRIATE.)

1. REF (USE APPROPRIATE EVENT IDENTIFIER OF PARAGRAPH NTP 8(D) D902)/(STATE)
  - A. (INCIDENT AND LOCATION) (WHAT, WHERE AND WHEN: SPECIFIC LOCATION OF INCIDENT AND TIME OF OCCURRENCE)
  - B. (STATUS OF EMERGENCY MEDICAL FACILITIES) (HOSPITALS/CLINICS OPERATIONAL, DESTROYED, PARTIALLY DESTROYED. WHAT IS AVAILABLE IN THE AREA, ETC.)
  - C. (LOCAL TRANSPORTATION STATUS) (ACCESSIBILITY OF INCIDENT AREA: ROADS, BRIDGES, AIRPORTS, RAILWAYS, ETC.)
  - D. (WHAT WAS DAMAGED) (BUILDINGS, CARS, FACILITIES, NUMBER OF KNOWN INJURED, ETC.)
  - E. (AREA UTILITY STATUS) (AREAS WITHOUT WATER, ELECTRICITY, ETC.)
  - F. (LOCAL COMMUNICATIONS STATUS) (STATUS OF LOCAL TELEPHONE, RADIO, TV, ETC. AND IF UNAFFECTED, LIMITED OR UNAVAILABLE)
  - G. (SOURCE OF INFORMATION AND WHEN RECEIVED) (PERSONAL OBSERVATION, TV, RADIO, SCANNER, ETC. IF PERSONAL, INCLUDE MARS CALL SIGN. IF DISASTER OFFICIAL, INCLUDE NAME AND AGENCY. IF TV/RADIO STATION, GIVE CALL SIGN AND LOCATION)
  - H. (REMARKS AND OTHER PERTINENT INFORMATION) (IF NONE, SO STATE)

ACTUAL INCIDENT  
 (USE 'MARS EXERCISE' FOR EXERCISES IN PLACE OF 'ACTUAL INCIDENT')  
 BT  
 NNNN

Note: Information contained within parentheses is added by the member when constructing the EEI message. For items 1B, 1C, 1D, 1E and 1F above, use 'OPERATIONAL' if this topic is known not to have been affected by the incident or 'UNKNOWN' if not known. Use 'N/A' for items not being reported in the EEI report. For example, if the EEI report was focused on item 1F, communications status, then 'N/A' would be entered for items 1B, 1C, 1D and 1E.

DE NNN0XOP 001  
 O 261200Z JUL 97  
 FM NNN0XOP GA  
 TO NNN0DOM VA  
 INFO NNN0ASA VA  
 NNN0ASC SC  
 NNN0ASZ GA  
 NNN0ASC TWO GA  
 NNN0GAM GA  
 NNN0GAM TWO GA

BT  
 UNCLAS ACTUAL INCIDENT  
 SUBJ: EEI REPORT  
 1. HOWLING WIND/GA

- A. HURRICANE XRAY MADE LANDFALL AT SAVANNAH GA, 21 MILES NORTH OF THE CENTER OF THE CITY AT 26/1150Z JUL 97.
- B. TWO HOSPITALS HAVE WIND DAMAGE. ALL OTHER MEDICAL FACILITIES ARE OPERATING ON EMERGENCY POWER.
- C. ROUTES I-14 AND I-34 ARE CLOSED 5 MILES NORTH OF CITY DUE TO BRIDGES BEING OUT. GEORGIA ROUTE 220 IS OPEN INTO THE CITY. SAVANNAH AIRPORT IS OPERATIONAL BUT RUNWAY 180 IS INOPERATIVE.

D. SEVERAL HOUSING DEVELOPMENTS IN THE NORTHERN SECTION OF TOWN REPORT HEAVY DAMAGE. FLOODING HAS CAUSED SEVERAL EVACUATIONS. LOCAL SCHOOLS AND OTHER FACILITIES HAVE BEEN DAMAGED. REPORTS OF MANY INJURED ON LOCAL RADIO.

E. WATER SYSTEM DESTROYED. ELECTRICAL POWER IS OUT IN MOST AREAS. PHONES INOPERATIVE.

F. LOCAL TV AND RADIO STATIONS OPERATING AT REDUCED POWER ON EMERGENCY GENERATORS.

G. PERSONAL OBSERVATION, LOCAL RADIO WKRP 26/1155Z JUL 97.

H. NONE.

ACTUAL INCIDENT

BT

NNNN

#### ***E-MAIL SUBMISSION OF EEI MESSAGES***

SUBJ: CHNAVMARCORMARS BCST 05-05

A. CHNAVMARCORMARS WASHINGTON DC 241100Z JUN 03 (CMB 14-03)

1. E-MAIL SUBMISSION OF ACTUAL EVENT ESSENTIAL ELEMENTS OF INFORMATION (EEI) MESSAGES - THE FOLLOWING ARE THE PROCEDURES FOR SUBMITTING EEI MESSAGES BY E-MAIL. THESE PROCEDURES REPLACE THOSE OF REF A. PREPARE YOUR EEI FOR ENTRY INTO THE WL2K AND, IF YOU HAVE E-MAIL CAPABILITY:

A. SUBMIT THE EEI MESSAGE BY E-MAIL TO THE FOLLOWING ADDRESSEES (ALL ADDRESSES IN LOWER CASE):

TO: UAAODS(AT)HQDA-AOC.ARMY.PENTAGON.MIL

JDOMS(AT)JS.PENTAGON.MIL

CC: NNN0ASA(AT)NAVYMARS.ORG

B. IF YOUR E-MAIL HAS THE ABILITY TO MARK THE MESSAGE AS URGENT, DO SO.

C. THE E-MAIL SUBJECT LINE SHOULD BEGIN WITH: ACTUAL EVENT/EEI. COMPLETE THE E-MAIL SUBJECT LINE WITH THE CITY (OR COUNTY) AND STATE WHERE THE EVENTS TOOK PLACE.

D. INDICATE THE MESSAGE HAS BEEN DELIVERED TO DOMS BY OTHER MEANS BY PLACING 'ZEN/' IMMEDIATELY IN FRONT OF 'NNN0DOM VA' IN THE 'TO' LINE.

E. SEND THE EEI MESSAGE, AS PREPARED ABOVE, BY E-MAIL.

F. SUBMIT THE EEI MESSAGE INTO THE WL2K.

G. E-MAIL FORWARDING OF THE EEI MESSAGE MAY BE DONE BY ANY STATION RELAYING THE MESSAGE PRIOR TO ENTRY INTO THE WL2K. AFTER ENTRY INTO THE WL2K, ANY SYSOP MAY FORWARD THE COPY GOING TO NNN0ASA. THE STATION SUBMITTING THE MESSAGE BY E-MAIL SHOULD FOLLOW ALL THE PROCEDURES LISTED ABOVE.

2. NAVMARCORMARS: PROUDLY SERVING THOSE WHO SERVE.

BT

NNNN

/EX

#### ***612. MESSAGE READDRESSAL***

When an additional addressee requires or needs to have the information contained in a particular message, the message recipient may readdress that message to additional addressee(s) by a supplemental heading. The readdressal header will show the readdressing addressee as the originator, action and/or information addressees, a precedence prosign, a date-time-group, and, when necessary, message instructions and transmission instructions. The following rules apply to message readdressals:

- a. That part of the original message preceding the preamble is omitted.
- b. The new precedence assigned applies to the supplementary heading.
- c. The preamble of the original message indicates the beginning of the original message.
- d. Readdressed messages are filed under the original DTG. The READDRESSAL DTG will not be used as a message reference.
- e. A message received for information (INFO) may only be readdressed for information (INFO). A message received for action may be readdressed for action (TO) or information (INFO).
- f. If it is necessary to inform any of the original addressees or the originator that a message has been readdressed, they may be included in the supplementary heading.
- g. An originator desiring to add addressees to a message previously transmitted will normally do so by READDRESSAL.

Example: Original message:

```
R 130505Z MAR 97
FM NNN0ASA MD/DC
TO NNN0ASC SC
INFO NNN0ASF ETX
NNN0ASE (ST)
BT
```

Readdressal of original message:

```
R 141122Z MAR 97
FM NNN0ASF ETX
INFO NNN0ASI SNE
R 130505Z MAR 97
FM NNN0ASA MD/DC
.etc..
```

## **622. DELAYED MESSAGES**

The MARS Station making the ultimate delivery to the addressee will initiate tracer action by notifying the originator of an inordinate delay of a message. The stations will first carefully examine their records and the message heading to determine if the cause can be ascertained and adequately explained prior to commencing tracer action. Cognizance must be taken of any adverse circuit or traffic conditions previously known or reported by intermediate relay stations which would have caused delay before initiating such action. If the cause for delay cannot be locally established, the originating station of that message will normally transmit a routine tracer message to the first relay station to which the delayed message was transmitted, citing the message date-time-group, station serial number, the date and time the message was transmitted (TOD) and other amplifying data as required. Tracer action will continue on a station-to-station basis until the cause of delay has been determined. Upon receipt of an inordinate delay tracer, each station will examine its records for time of receipt and time of transmission of the traced message. This information will be compiled and transmitted with the tracer action to the next station in the relay path and INFO to the station which originated the tracer, Chief, NAVMARCORMARS, the

region director, and state director. If any station which handled the tracer message caused delay, the reason for the delay and corrective action taken will be stated in the report.

Examples:

Inordinate delay tracer to first relay by originating station

```
R 160230Z JAN 97
FM NNN0AAB SCA
TO NAV VA
INFO NNN0ASA VA
NNN0ASE (ST)
NNN0EFB SC
BT
UNCLAS SVC
ZUI NNN0AAB 101425Z JAN 97 NNN0EFB TOR 15/1028Z. 5 DAYS DELAY.
ZDN
BT
```

Note: ZDN - REPORT DISPOSAL OF MESSAGE YOUR STA WITH ANY REASON FOR DELAY

Relay station's report on an excessive delay tracer:

```
R 160250Z MAR 97
FM NAV VA
TO NNN0RSE SC
INFO NNN0ASA VA
NNN0AAB SCA
NNN0ASE (ST)
NNN0ASC SC
NNN0EFB SC
BT
UNCLAS SVC
ZUI NNN0AAB 101425Z MAR 97 NNN0EFB TOR 15/1028Z. 5 DAYS DELAY.
TOR 10/1438Z
ZDQ NNN0RSE 10/2347Z. 9 HOURS DELAY THIS STA DUE SKED. ZDN
BT
```

### **623. LOST MESSAGES**

Upon verification of non-receipt of a message, the originating station will retransmit the message as a duplicate (ZFG) to the station(s) claiming non-delivery and transmit a service message tracer to the first relay station involved with the original transmission. The latter station, after determining that mishandling was not involved, will then transmit the tracer to the next relay station for action and to the originating station, the station claiming non-delivery, Chief, NAVMARCORMARS, and the region director and state director for information. Such action will be continued on a station-to-station basis until the cause for the lost message has been determined and reported to the originating station, station(s) claiming non-delivery, Chief, NAVMARCORMARS, region director and state director. The following is a recommended SVC message text to be used when initiating or continuing tracer action regarding non-deliveries:

R 141521Z MAR 97  
FM NNNØJPJ SCA  
TO NNNØTEF SD/ND  
INFO NNNØASA VA  
NNNØASE (ST)  
NNNØPPC MI  
NNNØASG IL  
BT  
UNCLAS SVC  
NNNØPPC CLAIMS NON DLVY NNNØJPJ Ø9141ØZ MAR 97 ZDQ NNNØTEF  
09/1422Z 4ØØ1.5 KHZ. TRACE TO DESTINATION AND ADVISE  
BT

**624. UNDELIVERABLE MESSAGES**

A message that cannot be delivered due to incorrect/incomplete addressees will be serviced back to the originating station. The service message should state that the message was not delivered and show the portion of the heading in question as received (with maximum utilization of "Q" and "Z" signals).

Example:

BT  
UNCLAS SVC  
ZDE4 YOUR 1ØØØØ1Z AUG 97 TO MRS SAM JONES 2ØØ1 NOWHERE  
STREET.  
WALDORF MD  
BT

**652. AMATEUR RADIO TO MARS REFILE**

An amateur radio message will not be accepted for refile into MARS unless it meets the message criteria contained in NTP 8(D) para 540. It is necessary to change the Amateur Radio message format to the MARS format per this chapter. In converting the message to the proper format, it is essential that the place of origin and the time and date of origination be indicated.

Example: Received via Amateur Radio

NR56 ROUTINE W4SSN CK7 NORFOLK VA 21ØØZ MAR 15  
WELDON RYE RMCS USN  
OPERATIONS DIV NAVCOMMSTA SAN FRANCISCO  
STOCKTON CA 95283 286 262 Ø67Ø BT  
YOUR MESSAGE RECEIVED X SEE YOU SUNDAY  
BT HAROLD

This message refiled to NAVMARCORMARS

R 1521ØØZ MAR 97  
FM NNNØTLH CA  
TO RMCS WELDON RYE USN

OPERATIONS DIV NAVCOMMSTA SFRAN  
STOCKTON CA 95283  
286-262-0670

BT

UNCLAS

1. NR 56 W4SSN CK7 NORFOLK VA 2100Z MAR 15
2. YOUR MESSAGE RECEIVED X SEE YOU SUNDAY
3. HAROLD SENDS

BT

**653. MARS TO AMATEUR RADIO REFILE**

The refile of MARS messages into Amateur Radio Service shall be in accordance with the criteria contained in NTP 8(D) para 540. All NMAT texts shall be expanded with the meanings from Annex L.

EXAMPLE: Received via NAVMARCORMARS

R 181015Z MAR 97  
FM PVT B J HARPER PHILADELPHIA PA/NNNOABC PA  
TO JAMES C HARPER  
62 ELM STREET NW  
WASHINGTON DC 20030  
202-266-6299

BT

UNCLAS

BE HOME ON SATURDAY MAR 26, MEET ME THE BUS TERMINAL. BILLY  
JOE.

BT

This message Refiled to Amateur Radio

NR16 K4NAA CK 12 PHILADELPHIA PA VIA MARS 1015Z MAR 18  
JAMES C HARPER  
62 ELM STREET NW  
WASHINGTON DC 20030 PHONE 202 266 6299 BT  
BE HOME ON SATURDAY MAR 26 X MEET ME AT BUS TERMINAL  
BT BILLY JOE

**BROADCASTS**

SUBJ: PACIFIC AREA BCST 05/04

A. MY 031415Z JUL 03, DIRECTOR PACIFIC AREA BCST 06-03

1. REF A IS SUPERCEDED BY THIS BCST AND MAY BE DESTROYED.

2. EFFECTIVE IMMEDIATELY THE MEMBERS OF THE PACIFIC AREA STAFF ARE AUTHORIZED TO RELEASE BROADCASTS TO THE PACIFIC AREA AS FOLLOWS:

NNN0ASE ONE: PACIFIC AREA BROADCASTS

NNN0ASE TWO: PACIFIC AREA ECOM BROADCASTS

NNN0ASE THREE: PACIFIC AREA NET OPERATIONS BROADCASTS

NNN0ASE FOUR: PACIFIC AREA TRAINING BROADCASTS

NNN0ASE FIVE: PACIFIC AREA TECHNOLOGY BROADCASTS

NNN0ASE EIGHT: PACIFIC AREA PUBLIC AFFAIRS BROADCASTS

NNN0ASE TEN: PACIFIC AREA WL2K BROADCASTS

NNN0ASE THIRTEEN: PACIFIC AREA ADMINISTRATION BROADCASTS

NNN0ASE FIFTEEN: PACIFIC AREA INTER OPERABILITY BROADCASTS

2. AREA STAFF BROADCASTS WILL CONTAIN A SUBJECT LINE AS STATED ABOVE AND WILL NOT CONTAIN NEW POLICY. AREA STAFF BROADCASTS NEED NOT BE RETAINED BEYOND THE 60 DAYS REQUIRED OF ALL ROUTINE MESSAGES.

3. AREA STAFF BROADCASTS ARE FOR THE PURPOSE OF ELABORATING AND EXPLAINING EXISTING DIRECTIVES. THEY MAY CONTAIN ANNOUNCEMENTS,

REPORTS OF EVENTS, OPERATING TIPS, HOW-TO ADVICE, ENCOURAGEMENT, MOTIVATIONAL TOPICS, TRAINING, PROPAGATION, ARMY/AF MARS INFO, FCC INFO, SHARES INFO, ETC.

4. AREA STAFF BROADCASTS AND REGION BROADCASTS WILL BE ADDRESSED INTERNAL TO THE PACIFIC AREA ONLY.

5. AREA STAFF BROADCASTS WILL BE ADDRESSED ONLY TO ALL PACIFIC AREA MEMBERS WITH NO INFO ADDEES. REGION BROADCASTS WILL BE ADDRESSED TO ALL MEMBERS IN THE REGION WITH INFO TO THE OTHER TWO REGION DIRECTORS (NNN0ALR PACIFIC AREA) (WHO MAY READDRESS INTO THEIR REGION IF DESIRED), AREA DIRECTOR AND DEPUTY DIRECTOR, AND THE AREA STAFF.

6. REGION AND STATE STAFF WILL NOT GENERATE BCSTS, BUT MAY SUBMIT MATERIAL TO THEIR RESPECTIVE DIRECTORS FOR INCLUSION IN HIS/HER BCST AND OR PROMULGATE NNN0ALL(S) TO THEIR REGION OR STATE MEMBERSHIP (NNN0ALL REGION EIGHT OR NNN0ALL CWY).

7. STATE BROADCASTS WILL BE ADDRESSED TO ALL MEMBERS IN THE STATE, INFO ALL OTHER STATE DIRECTORS WITHIN THE REGION (NNN0ALC REGION TEN), THE RESPECTIVE REGION DIRECTOR, AND THE AREA DIRECTOR AND DEPUTY DIRECTOR.

8. EACH AREA, REGION AND STATE BCST WILL BE IDENTIFIED IN THE SUBJECT LINE PRECISELY AS DEPICTED IN THE EXAMPLES BELOW:

PACIFIC AREA BCST 01/04, 02/04, 03/04, ETC.

REGION TEN BCST 01/04, 02/04, 03/04, ETC.

SOUTHERN CALIFORNIA STATE BCST 01/04, 02/04, 03/04, ETC.

9. PACIFIC AREA: SERVING THOSE WHO SERVE.

BT

NNNN

/EX

## AREA and STATE DESIGNATORS (12 May 05)

In the Pacific Area for messages entered into the WL2K as ST MULTI the RR line with the area designator(s) is no longer required. However the state designator must be correct for the message to be processed correctly. Be sure to use the new state designators such as CWY for CO and WY, not the old CO/WY.

CMB bcst 10-04 established the revised procedures for relay of official messages including SHARES messages in the WL2K. In this case use the state designators NOGAB for AK, NOGAA for AL, etc.

STATE	DESIGNATOR	AREA
AK	GAB	NOASE
AL	GAA	NOASG
AR	GAD	NOASF
AZ	GAC	NOASE
CA	GAE NCA GAF SCA	NOASE
CO	GAG CWY	NOASE
CT	GAX SNE	NOASI
DC	GAW MDE	NOASI
DE	GAW MDE	NOASI
FL	GAL	NOASG
GA	GAM	NOASG
GU	GCM	NOASE
HI	GAN	NOASE
IA	GAR	NOASF
ID	GAO	NOASE
IL	GAP	NOASG
IN	GAQ	NOASG
KS	GBD NEK	NOASF
KY	GAT	NOASG
LA	GAU	NOASF

MA	GAX SNE	NOASI
MD	GAW MDE	NOASI
ME	GAV NNE	NOASI
MI	GAY	NOASG
MN	GAZ	NOASG
MO	GBB	NOASF
MS	GBA	NOASG
MT	GBC	NOASE
NC	GBL	NOASG
ND	GBT SND	NOASE
NE	GBD NEK	NOASF
NH	GAV NNE	NOASI
NJ	GBG	NOASI
NM	GBI NMW	NOASF
NV	GBE	NOASE
NY	GBJ NNY GBK SNY	NOASI
OH	GBN	NOASG
OK	GBO	NOASF

OR	GBP	NOASE
PA	GCP	NOASI
PR	GCR	NOASG
RI	GAX SNE	NOASI
SC	GBS	NOASG
SD	GBT SND	NOASE
TN	GBU	NOASG
TX	GBW ETX GBY STX GBI NMW	NOASF
UT	GBZ	NOASE
VA	GCB	NOASI
VT	GAV NNE	NOASI
WA	GCC	NOASE
WI	GCE	NOASG
WV	GCD	NOASI
WY	GAG CWY	NOASE